

FIG. 1




FIG. 2




FIG. 3




FIG. 6




FIG. 4




FIG. 5

FIG. 7





FIG. 8



REPLACEMENT SHEET

5 / 12




FIG. 9




FIG. 10

6 / 12




FIG. 11




FIG. 12

91

Target Alert ▾ Range Alert ▾ Ramp Alert ▾ X

☐ After hours and minutes (initial delay)

LI-TF1-PRD23/A11/IN.CV

 ramps to

360

95 ...

within a deviation of

4

☒ Ramp duration of

12

96 hours and

0

 minutes, then alert is removed.

☒ Acknowledge before removing 92

Comment: 93

Per DPP item 21: When target tank level reached, stop transfer, reset valves.

Add Display Alert

FIG. 13

102

XXXXXXXXXX: XXXXXX: XXXXXXXXXX: 15

14

Display Alerts: Off target: Was off target: On target: All:

Initial delay: 1 Acknowledge all

Running: 0 0 2 2

Complete: 0 0 0 0 Remove all

Unacked: 0 0 0 0 Show details

112.81

10

FIC-B1-HGC/PID1/PV.CV stays between 110 and 115

X

129.5

X

LI-TF1-PRD23/A11/IN.CV ramping to 360 [+/- 4] by 23:55

X

684.34

X

TL-101-2/A11/IN.CV = 720 [+/- 5] by 13:42 until 14:42

X

13

LIC-101-234456

12

FFD - 342-567

TIC-101-23432

TIC-102-23432

LIC-103-23432

11

11

Fri 1:59:04 A

TIC-101-23432/LO_ALM

Reactor 1 Temperature Control

LO

ADVISORY

+

FIG. 14

REPLACEMENT SHEET

8 / 12

Display Alerts:
Off target:
Was off target:
On target:
All:

Initial delay: 0
Running: 1 0 2 3
Complete: 0 0 0 0
Unacked: 1 0 0 1

Acknowledge all
Remove all
Show details

☐

109.66
LI-TF1-PRD23/A11/IN.CV stays between 110 and 115

☐

208.21
LI-TF1-PRD23/A11/IN.CV ramping to 360 [+/- 4] by 23:55

☐

719.34
TI-101-2/A11/IN.CV = 720 [+/- 5] by 13:42 until 14:42

FIG. 15

Display Alerts:
Off target:
Was off target:
On target:
All:

Initial delay: 0
Running: 0 0 1 1
Complete: 0 0 0 0
Unacked: 0 0 0 0

Acknowledge all
Remove all
Show details

☐

315.17
LI-TF1-PRD23/A11/IN.CV ramping to 360 [+/- 4] by 23:55

Per DPP item 21: When target tank level reached, stop transfer, reset valves.
Product Storage Tank 23 Level
Display alert set at 12:42 by RIDLEY
TANK FARM:

FIG. 16

Display Alerts:
Off target:
Was off target:
On target:
All:

Initial delay: 0
Running: 0 0 0 0
Complete: 0 0 1 1
Unacked: 0 0 1 1

Acknowledge all
Remove all
Show details

☐

358.44
LI-TF1-PRD23/A11/IN.CV ramping to 360 [+/- 4] by 23:55

Per DPP item 21: When target tank level reached, stop transfer, reset valves.
Product Storage Tank 23 Level
Display alert set at 12:42 by RIDLEY
TANK FARM:

FIG. 17

9 / 12



10/12




FIG. 20

11 / 12




FIG. 21




FIG. 22




FIG. 23




FIG. 24

12 / 12




FIG. 25




FIG. 26




FIG. 27